

Math 131 - Test 2

March 11, 2026

Name _____

Score _____

Show all work to receive full credit. Supply explanations where necessary. Unless otherwise indicated, use differentiation rules for all derivatives, and do not simplify.

1. (12 points) The function f has only three possible points of discontinuity: $x = 1$, $x = 2$, and $x = 4$. Analyze the function at each point to determine whether f is continuous. Classify each discontinuity. **Your work must show how you are using limits.**


$$f(x) = \begin{cases} x^2 + 2x + 3, & x < 1 \\ x^3 + 5, & 1 \leq x < 2 \\ 6x + \cos(\pi x), & 2 < x \leq 4 \\ x + 8\sqrt{x}, & x > 4 \end{cases}$$

2. (4 points) The function $g(x) = x^2 + 3 \sin x$ is continuous everywhere. Use the intermediate value theorem to find an interval on which the equation $g(x) = 4$ has a solution. Briefly explain your reasoning.

3. (10 points) Let $f(x) = x^2 - 6x + 2$. Use a **limit definition** of the derivative to determine $f'(x)$. Show all work.

4. (5 points) Use differentiation rules to confirm your derivative above. Then find an equation of the line tangent to the graph of $f(x) = x^2 - 6x + 2$ at the point where $x = 3$.

5. (10 points) The graph of $y = f(x)$ is shown below. Use the graph for each part of this problem.



- (a) Sketch the tangent line at $x = 1$. Then use your tangent line to estimate $f'(1)$. Show work or explain your reasoning.
- (b) Estimate the interval(s) on which $f'(x) > 0$. Briefly explain your reasoning.
- (c) Use a secant line to estimate the average rate of change of f over the interval from $x = -1.5$ to $x = 0$.

6. (20 points) Determine the derivative of each function. Show all work. Do not simplify.

(a) $y = 3x^5 - 8x + 12 + x^{7/3} - \frac{5}{x^3}$

(b) $g(x) = \frac{\cos x}{\sqrt{x}}$

(c) $f(t) = \tan(t^2)$

(d) $y = (5x + 2)^4(2x + 7)^6$

7. (6 points) Let $G(x) = x^6 \sin x$. Find $G'''(x)$.

8. An object is launched vertically upward from over the edge of a building. The object's height (in meters) after t seconds is given by


$$s(t) = -4.9t^2 + 14.7t + 49.$$

Include units with your answer for each part of this problem.

- (a) (3 points) Determine the average rate of change the object's height over the interval from $t = 0$ to $t = 3$.
- (b) (3 points) Determine the object's velocity at time $t = 4$.
- (c) (2 points) What is the acceleration of the object?
- (d) (4 points) Determine the object's maximum height.
- (e) (3 points) When does the object hit the ground?
- (f) (1 point) What is the object's initial speed?
- (g) (1 point) What is the object's speed when it hits the ground?

9. (6 points) Suppose the function f is defined for all x . Describe three ways in which $f'(x)$ may fail to exist.

10. (10 points) The graph of the equation $x^3 + y^3 = 8y + 1$ is shown below.



(a) Use implicit differentiation to find a formula for dy/dx .

(b) Use dy/dx to compute the slope of the graph at the point $(2, 1)$.